

Prepared for:

**Fringe**

2244 S. Nile St  
Lakewood, CO USA 80228

## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Potency</b>	Reported: <b>23Feb2023</b>	USDA License: N/A
Matrix: Unit	Test ID: T000236447	Started: 22Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 21Feb2023	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	22.637	73.221	ND	ND	# of Servings = 1, Sample Weight=115g
Cannabichromenic Acid (CBCA)	20.705	66.972	ND	ND	
Cannabidiol (CBD)	68.412	199.855	1109.050	9.60	
Cannabidiolic Acid (CBDA)	70.167	204.982	ND	ND	
Cannabidivarin (CBDV)	16.180	47.268	ND	ND	
Cannabidivarinic Acid (CBDVA)	29.270	85.508	ND	ND	
Cannabigerol (CBG)	12.853	41.573	ND	ND	
Cannabigerolic Acid (CBGA)	53.729	173.789	ND	ND	
Cannabinol (CBN)	16.767	54.235	ND	ND	
Cannabinolic Acid (CBNA)	36.658	118.571	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	64.010	207.045	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	58.133	188.034	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	51.506	166.599	ND	ND	
Tetrahydrocannabivarin (THCV)	11.691	37.814	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	45.430	146.947	ND	ND	
<b>Total Cannabinoids</b>			<b>1109.050</b>	<b>9.60</b>	
Total Potential THC			ND	ND	
Total Potential CBD			1109.050	9.60	

## Final Approval



Sam Smith  
23Feb2023  
11:12:00 AM MST

PREPARED BY / DATE



Karen Winternheimer  
23Feb2023  
11:21:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/cf58411e-9a28-462e-890a-ccc10fd7f81e>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
cf58411e9a28462e890acc10fd7f81e.1

Prepared for:

**Fringe**


2244 S. Nile St  
Lakewood, CO USA 80228

## Mysa Cool


Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Terpenes</b>	Reported: <b>23Feb2023</b>	USDA License: NA
Matrix: Concentrate	Test ID: T000236449	Started: 22Feb2023	Sampler ID: NA
	Method(s): TM22 (GC-MS)	Received: 21Feb2023	Status: NA

### Terpenes

Terpenes	%(w/w)	(mg/g)
(-)-alpha-Bisabolol	0.0000	0.0000
(-)-beta-Pinene	0.0064	0.064
(-)-Caryophyllene Oxide	0.0000	0.0000
(-)-Isopulegol	0.0000	0.0000
alpha-Humulene	0.0033	0.033
alpha-Pinene	0.0915	0.915
alpha-Terpinene	0.0022	0.022
beta-Caryophyllene	0.0129	0.129
beta-Myrcene	0.0276	0.276
beta-Ocimene	0.0000	0.0000
Camphene	0.0000	0.0000
cis-Nerolidol	0.0000	0.0000
d-Limonene	0.0167	0.167
delta-3-Carene	0.0000	0.0000
Eucalyptol	0.0206	0.206
gamma-Terpinene	0.0039	0.039
Geraniol	0.0000	0.0000
Linalool	0.0000	0.0000
Ocimene	0.0000	0.0000
p-Cymene	0.0000	0.0000
Terpinolene	0.0027	0.027
trans-Nerolidol	0.0000	0.0000
	<b>0.1878</b>	<b>1.8780</b>



### PREDOMINANT TERPENES



### Notes

## Final Approval



PREPARED BY / DATE

Karen Winternheimer  
23Feb2023  
03:27:00 PM MST



APPROVED BY / DATE

Sam Smith  
23Feb2023  
03:31:00 PM MST



<https://results.botanacor.com/api/v1/coas/uuid/0b69c2ff-2c82-4385-b255-7b3efc69c6ea>

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

0b69c2ff2c824385b2557b3efc69c6ea.1

Prepared for:

**Fringe**

2244 S. Nile St  
Lakewood, CO USA 80228


## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Trace THC</b>	Reported: <b>28Feb2023</b>	USDA License: NA
Matrix: Unit	Test ID: T000236448	Started: 27Feb2023	Sampler ID: NA
	Method(s): TM20 (HPLC-DAD)	Received: 21Feb2023	Status: NA

## Cannabinoids

	Dynamic Range (%)	Result (%)	Result (mg/g)	Notes
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.001 - 0.665	ND	0.00	N/A
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.002 - 1.331	ND	0.00	N/A
<b>Total Potential THC</b>	-	<b>ND</b>	<b>0.00</b>	

## Final Approval



Sam Smith  
28Feb2023  
12:40:00 PM MST

PREPARED BY / DATE



Karen Winternheimer  
28Feb2023  
12:45:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/70048ee5-006f-4297-ae2d-a19adfc67c2b>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product)  
Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCA \* (0.877))  
ND = None Detected (defined by dynamic range of the method)  
ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02  
70048ee5006f4297ae2da19adfc67c2b.1

Prepared for:

**Fringe**

2244 S. Nile St  
Lakewood, CO USA 80228

## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Pesticides</b>	Reported: <b>24Feb2023</b>	USDA License: NA
Matrix: Concentrate	Test ID: T000236450	Started: 23Feb2023	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 21Feb2023	Status: NA

## Pesticides

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	324 - 2773	ND	Malathion	281 - 2698	ND
Acephate	43 - 2752	ND	Metalaxyl	43 - 2701	ND
Acetamiprid	41 - 2704	ND	Methiocarb	41 - 2737	ND
Azoxystrobin	44 - 2701	ND	Methomyl	40 - 2714	ND
Bifenazate	40 - 2705	ND	MGK 264 1	165 - 1598	ND
Boscalid	38 - 2737	ND	MGK 264 2	115 - 1120	ND
Carbaryl	38 - 2718	ND	Myclobutanil	47 - 2715	ND
Carbofuran	42 - 2692	ND	Naled	44 - 2707	ND
Chlorantraniliprole	42 - 2746	ND	Oxamyl	41 - 2726	ND
Chlorpyrifos	47 - 2711	ND	Pacllobutrazol	42 - 2699	ND
Clofentezine	266 - 2736	ND	Permethrin	308 - 2683	ND
Diazinon	290 - 2714	ND	Phosmet	40 - 2707	ND
Dichlorvos	279 - 2716	ND	Prophos	283 - 2743	ND
Dimethoate	41 - 2688	ND	Propoxur	41 - 2692	ND
E-Fenpyroximate	298 - 2729	ND	Pyridaben	315 - 2709	ND
Etofenprox	38 - 2714	ND	Spinosad A	32 - 2216	ND
Etoxazole	308 - 2695	ND	Spinosad D	50 - 489	ND
Fenoxycarb	42 - 2730	ND	Spiromesifen	288 - 2726	ND
Fipronil	55 - 2633	ND	Spirotetramat	296 - 2731	ND
Flonicamid	48 - 2766	ND	Spiroxamine 1	17 - 1160	ND
Fludioxonil	318 - 2730	ND	Spiroxamine 2	21 - 1551	ND
Hexythiazox	41 - 2719	ND	Tebuconazole	300 - 2703	ND
Imazalil	287 - 2706	ND	Thiacloprid	41 - 2706	ND
Imidacloprid	42 - 2706	ND	Thiamethoxam	40 - 2736	ND
Kresoxim-methyl	38 - 2772	ND	Trifloxystrobin	44 - 2703	ND

## Final Approval



Karen Winternheimer  
24Feb2023  
08:30:00 AM MST

PREPARED BY / DATE



Sam Smith  
24Feb2023  
08:32:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/160bbdf0-5b70-40f9-a879-4c59946e7772>

### Definitions

ND = None Detected (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range  
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
160bbdf05b7040f9a8794c59946e7772.1

Prepared for:

**Fringe**

2244 S. Nile St  
Lakewood, CO USA 80228

## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Microbial Contaminants</b>	Reported: <b>24Feb2023</b>	USDA License: NA
Matrix: Finished Product	Test ID: T000236451	Started: 21Feb2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 21Feb2023	Status: NA

## Microbial Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 <sup>2</sup> CFU/g	1.0x10 <sup>3</sup> - 1.5x10 <sup>5</sup>	None Detected	
Total Coliforms*	TM27: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected	

## Final Approval



Brett Hudson  
24Feb2023  
03:05:00 PM MST

PREPARED BY / DATE



Brianne Maillot  
25Feb2023  
05:26:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/6dac9160-4def-4812-a56e-507e57555fb2>

### Definitions

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10<sup>2</sup> = 100 CFU, 10<sup>3</sup> = 1,000 CFU, 10<sup>4</sup> = 10,000 CFU, 10<sup>5</sup> = 100,000 CFU  
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection  
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation  
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
6dac91604def4812a56e507e57555fb2.1

Prepared for:

**Fringe**

2244 S. Nile St  
Lakewood, CO USA 80228


## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Heavy Metals</b>	Reported: <b>24Feb2023</b>	USDA License: NA
Matrix: Unit	Test ID: T000236452	Started: 24Feb2023	Sampler ID: NA
	Method(s): TM19 (ICP-MS): Heavy Metals	Received: 21Feb2023	Status: NA

## Heavy Metals

	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.05 - 4.58	ND	
Cadmium	0.05 - 4.63	ND	
Mercury	0.04 - 4.25	ND	
Lead	0.05 - 5.18	ND	

## Final Approval



Sam Smith  
24Feb2023  
12:27:00 PM MST

PREPARED BY / DATE



Karen Winternheimer  
24Feb2023  
12:31:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/b0b43840-0690-4116-a671-ac95576a24bf>

### Definitions

ND = None Detected (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

b0b4384006904116a671ac95576a24bf.1

Prepared for:

**Fringe**


2244 S. Nile St  
Lakewood, CO USA 80228

## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Residual Solvents</b>	Reported: <b>23Feb2023</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000236453	Started: 22Feb2023	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 21Feb2023	Status: Active

Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	92 - 1841	ND	
Butanes (Isobutane, n-Butane)	190 - 3809	ND	
Methanol	56 - 1117	ND	
Pentane	95 - 1908	ND	
Ethanol	94 - 1875	1733	
Acetone	93 - 1862	ND	
Isopropyl Alcohol	98 - 1951	ND	
Hexane	6 - 114	ND	
Ethyl Acetate	94 - 1879	ND	
Benzene	0.2 - 3.6	ND	
Heptanes	93 - 1866	ND	
Toluene	16 - 328	ND	
Xylenes (m,p,o-Xylenes)	122 - 2436	ND	

## Final Approval



Sam Smith  
23Feb2023  
09:08:00 AM MST

PREPARED BY / DATE



Karen Winternheimer  
23Feb2023  
09:09:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/acc86485-0910-4f5b-992e-1bb0268aacff>

### Definitions

ND = None Detected (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
acc8648509104f5b992e1bb0268aacff.1

Prepared for:

**Fringe**

2244 S. Nile St  
Lakewood, CO USA 80228


## Mysa Cool

Batch ID or Lot Number: <b>Lot 1</b>	Test: <b>Mycotoxins</b>	Reported: <b>02Mar2023</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000236454	Started: 28Feb2023	Sampler ID: N/A
	Method(s): TM18 (UHPLC-QQQ LCMS/MS): Mycotoxins	Received: 21Feb2023	Status: Active

## Mycotoxins

	Dynamic Range (ppb)	Result (ppb)	Notes
Ochratoxin A	4.00 - 136.31	ND	N/A
Aflatoxin B1	0.86 - 33.80	ND	
Aflatoxin B2	0.90 - 33.80	ND	
Aflatoxin G1	0.90 - 33.54	ND	
Aflatoxin G2	1.06 - 34.02	ND	
Total Aflatoxins (B1, B2, G1, and G2)		ND	

## Final Approval



Sam Smith  
02Mar2023  
09:32:00 AM MST

PREPARED BY / DATE



Karen Winternheimer  
02Mar2023  
09:36:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5d8fb2f6-27f0-4fb4-929d-930d64d3bb39>

### Definitions

ND = None Detected (defined by dynamic range of the method)  
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
5d8fb2f627f04fb4929d930d64d3bb39.2